ELSEVIER

International Journal of Mass Spectrometry 225 (2003) 271

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Author index Volume 225

Adams, F., 213
Al-Khalili, A., 71

Becker, K., 25
Beckwith King, J.D., 225

Castaño, F., 127

Dahl, D.A., 1
de Laeter, J.R., 177
Delmore, J.E., 1
Drahos, L., 233
Duursma, M.C., 71

Gabbai, F., 225
Garcia, G.A., 261
Gijbels, R., 213
Guo, X., 71
Gutkin, M., 25

Haneline, M.R., 225
Hars, G., 101
Heeren, R.M.A., 71
Heydorn, L.N., 11
Hoz, S., 167
Hvelplund, P., 83

Ignatova, V., 213

Jaroszynski, D.A., 53

Kaziannis, S., 249
Kessinger, G.F., 1
Kim, M.S., 191
Koomen, J.M., 225
Kosmidis, C., 53, 249
Krylov, E.V., 39

Ledingham, K.W.D., 53
Liu, B., 83
Lopez, J., 25
Lucas, J.E., 225

Maros, I., 101
Martínez, R., 127
Massaouti, M., 89
McCanny, T., 53
McKenna, P., 53
Migeon, H.-N., 135
Moon, J.H., 191

Nahon, L., 261
Nielsen, S.B., 83

Olson, J.E., 1
Opitz, J., 115

Powis, I., 261

Ren, Y., 167
Robson, L., 53
Russell, D.H., 225

Scherrer, H., 135
Shvartsburg, A.A., 155
Sierra, B., 127
Siozos, P., 249
Srinivas, R., 11
Sztáray, J., 233

Tarnovsky, V., 25
Tasker, A.D., 53
Terlouw, J.K., 11
Tomita, S., 83

Van Vaeck, L., 213
Vékey, K., 233
Velegrakis, M., 89

Wieser, M.E., 177
Wilkes, J.G., 155
Wirtz, T., 135
Wolk, J.L., 167
Wong, C.Y., 11

PII S1387-3806(03)00032-0

ELSEVIER

International Journal of Mass Spectrometry 225 (2003) 273–275

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Subject index Volume 225

Ab initio calculations
The isobaric ions $CH_3O–P=O^{\bullet+}$ and $CH_3O–P–NH_2^+$ and their neutral counterparts: a tandem mass spectrometry and CBS-QB3 computational study, 11
Acephate (*O,S*-dimethyl acetylphosphoramidothioate)
The isobaric ions $CH_3O–P=O^{\bullet+}$ and $CH_3O–P–NH_2^+$ and their neutral counterparts: a tandem mass spectrometry and CBS-QB3 computational study, 11
Anion binding
Nanoelectrospray MS and MS–MS investigation of two polydendate Lewis acids, $(C_6F_4Hg)_3$ and o-$C_6F_4(HgCl)_2$, characterization and halide binding selectivity, 225
Atmospheric chemistry
Electron-impact ionization of NO, NO_2, and N_2O, 25

Blackbody infrared cooling
Experimental calibration of the SORI-CID internal energy scale: energy uptake and loss, 71
Bond energies
Electron impact ionization of cobalt-tricarbonyl-nitrosyl, cyclopentadienyl-cobalt-dicarbonyl and biscyclopentadienyl-cobalt: appearance energies, bond energies and enthalpies of formation, 115
Breakdown
Near-threshold photoionization spectroscopy of the mono-terpenes limonene and carvone, 261

CBS-QB3
The isobaric ions $CH_3O–P=O^{\bullet+}$ and $CH_3O–P–NH_2^+$ and their neutral counterparts: a tandem mass spectrometry and CBS-QB3 computational study, 11
Cesium clusters
Useful yields of MCs_x^+ clusters: a cesium concentration-dependent study on the Cation Mass Spectrometer (CMS), 135
Cesium concentration
Useful yields of MCs_x^+ clusters: a cesium concentration-dependent study on the Cation Mass Spectrometer (CMS), 135
CID MS–MS
Nanoelectrospray MS and MS–MS investigation of two polydendate Lewis acids, $(C_6F_4Hg)_3$ and o-$C_6F_4(HgCl)_2$, characterization and halide binding selectivity, 225
Classical trajectory
Development of classical trajectory methodology for the study of dissociation dynamics of polyatomic ions, 191
Combustion
Electron-impact ionization of NO, NO_2, and N_2O, 25
Continuos ion introduction
Time-of-flight (TOF) mass spectrometer without pulses of any kind, with continuous ion introduction, 101
Cross-sections
Electron-impact ionization of NO, NO_2, and N_2O, 25

Dehydration
Chemistry in aldol complexes of metal dications: dehydration of the bisligand species, 155
Diffusion losses
Comparison of the planar and coaxial field asymmetrical waveform ion mobility spectrometer (FAIMS), 39
Dissociation
Electron capture induced dissociation of peptide dications, 83
Dissociation energies
Electron impact ionization of cobalt-tricarbonyl-nitrosyl, cyclopentadienyl-cobalt-dicarbonyl and biscyclopentadienyl-cobalt: appearance energies, bond energies and enthalpies of formation, 115
Double spiking
A preliminary study of isotope fractionation in molybdenites, 177

Electron bombardment
High temperature Langmuir vaporization mass spectrometer, 1
Electron capture
Electron capture induced dissociation of peptide dications, 83
Electron-impact ionization
Electron-impact ionization of NO, NO_2, and N_2O, 25
Electron–molecule ionization cross-sections
Absolute partial and total electron-impact ionization cross-sections of the CCl_2F_2 molecule, 127
Electrospray ionization
Chemistry in aldol complexes of metal dications: dehydration of the bisligand species, 155

FAIMS
Comparison of the planar and coaxial field asymmetrical waveform ion mobility spectrometer (FAIMS), 39
Femtosecond ionization
Femtosecond ionization and dissociation of laser desorbed nitro-PAHs, 53

PII S1387-3806(03)00033-2

Field ionization
Multielectron dissociative ionization of CH_3I under strong picosecond laser irradiation, 249
Focusing
Comparison of the planar and coaxial field asymmetrical waveform ion mobility spectrometer (FAIMS), 39
Fourier transform laser microprobe mass spectrometry
Molecular speciation of inorganic mixtures by Fourier transform laser microprobe mass spectrometry, 213
Fourier transformation
Time-of-flight (TOF) mass spectrometer without pulses of any kind, with continuous ion introduction, 101
Fragmentation
Near-threshold photoionization spectroscopy of the mono-terpenes limonene and carvone, 261

Gas-phase enthalpies of formation
Electron impact ionization of cobalt-tricarbonyl-nitrosyl, cyclopentadienyl-cobalt-dicarbonyl and biscyclopentadienyl-cobalt: appearance energies, bond energies and enthalpies of formation, 115
Glycine
Gas-phase Cu^+– and Ag^+–glycine complexes produced with a new source, 89

High temperature mass spectrometry
High temperature Langmuir vaporization mass spectrometer, 1
Hybrid DFT method
Hybrid DFT study on the gas-phase S_N2 reactions at neutral oxygen, 167

Inorganic salts
Molecular speciation of inorganic mixtures by Fourier transform laser microprobe mass spectrometry, 213
Internal energy deposition
Experimental calibration of the SORI-CID internal energy scale: energy uptake and loss, 71
Ion dissociation dynamics
Development of classical trajectory methodology for the study of dissociation dynamics of polyatomic ions, 191
Ion mobility
Comparison of the planar and coaxial field asymmetrical waveform ion mobility spectrometer (FAIMS), 39
Ion solvation
Chemistry in aldol complexes of metal dications: dehydration of the bisligand species, 155
Ionization energy
Near-threshold photoionization spectroscopy of the mono-terpenes limonene and carvone, 261
Ionization probability
Useful yields of MCs_x^+ clusters: a cesium concentration-dependent study on the Cation Mass Spectrometer (CMS), 135
Isotope fractionation
A preliminary study of isotope fractionation in molybdenites, 177

Kinetic energy release distribution
Theoretical calculation of isotope effects, kinetic energy release and effective temperatures for alkylamines, 233
Kinetic isotope effect
Theoretical calculation of isotope effects, kinetic energy release and effective temperatures for alkylamines, 233

Langmuir vaporization
High temperature Langmuir vaporization mass spectrometer, 1
Laser desorption
Femtosecond ionization and dissociation of laser desorbed nitro-PAHs, 53
Low temperature mass spectrometry
Experimental calibration of the SORI-CID internal energy scale: energy uptake and loss, 71

Mass spectra
Electron impact ionization of cobalt-tricarbonyl-nitrosyl, cyclopentadienyl-cobalt-dicarbonyl and biscyclopentadienyl-cobalt: appearance energies, bond energies and enthalpies of formation, 115
Mass spectrometer
Gas-phase Cu^+– and Ag^+–glycine complexes produced with a new source, 89
Mass spectrometry
A preliminary study of isotope fractionation in molybdenites, 177
Multielectron dissociative ionization of CH_3I under strong picosecond laser irradiation, 249
Metal cations
Chemistry in aldol complexes of metal dications: dehydration of the bisligand species, 155
Metal–amino acid complexes
Gas-phase Cu^+– and Ag^+–glycine complexes produced with a new source, 89
Metastable ion decay
Electron impact ionization of cobalt-tricarbonyl-nitrosyl, cyclopentadienyl-cobalt-dicarbonyl and biscyclopentadienyl-cobalt: appearance energies, bond energies and enthalpies of formation, 115
Methamidophos (*O,S*-dimethylphosphoramidothiolate)
The isobaric ions $CH_3O–P=O^{\bullet+}$ and $CH_3O–P–NH_2^+$ and their neutral counterparts: a tandem mass spectrometry and CBS-QB3 computational study, 11
Mobility dependence
Comparison of the planar and coaxial field asymmetrical waveform ion mobility spectrometer (FAIMS), 39
Molecular speciation
Molecular speciation of inorganic mixtures by Fourier transform laser microprobe mass spectrometry, 213
Molybdenites
A preliminary study of isotope fractionation in molybdenites, 177
Molybdenum
A preliminary study of isotope fractionation in molybdenites, 177

Multiple ionization
Femtosecond ionization and dissociation of laser desorbed nitro-PAHs, 53
Multiply charged ions
Chemistry in aldol complexes of metal dications: dehydration of the bisligand species, 155
Multielectron dissociative ionization of CH_3I under strong picosecond laser irradiation, 249

Nanoelectrospray
Nanoelectrospray MS and MS–MS investigation of two polydendate Lewis acids, $(C_6F_4Hg)_3$ and o-$C_6F_4(HgCl)_2$, characterization and halide binding selectivity, 225
Near-threshold
Near-threshold photoionization spectroscopy of the mono-terpenes limonene and carvone, 261
Neutralization–reionization mass spectrometry
The isobaric ions $CH_3O–P=O^{\bullet+}$ and $CH_3O–P–NH_2^+$ and their neutral counterparts: a tandem mass spectrometry and CBS-QB3 computational study, 11
Nitro-PAHs
Femtosecond ionization and dissociation of laser desorbed nitro-PAHs, 53
NO_x
Electron-impact ionization of NO, NO_2, and N_2O, 25
Nozzle-skimmer fragmentation
Nanoelectrospray MS and MS–MS investigation of two polydendate Lewis acids, $(C_6F_4Hg)_3$ and o-$C_6F_4(HgCl)_2$, characterization and halide binding selectivity, 225
Numerically induced chaos
Development of classical trajectory methodology for the study of dissociation dynamics of polyatomic ions, 191

Partial ionization cross-sections
Absolute partial and total electron-impact ionization cross-sections of the CCl_2F_2 molecule, 127
Peptides
Electron capture induced dissociation of peptide dications, 83
Photoelectron spectroscopy
Near-threshold photoionization spectroscopy of the mono-terpenes limonene and carvone, 261
Pollution control
Electron-impact ionization of NO, NO_2, and N_2O, 25
Polydentate Lewis acid
Nanoelectrospray MS and MS–MS investigation of two polydendate Lewis acids, $(C_6F_4Hg)_3$ and o-$C_6F_4(HgCl)_2$, characterization and halide binding selectivity, 225

Quantification
Useful yields of MCs_x^+ clusters: a cesium concentration-dependent study on the Cation Mass Spectrometer (CMS), 135

Reaction mechanism
Hybrid DFT study on the gas-phase S_N2 reactions at neutral oxygen, 167

Scaling
Development of classical trajectory methodology for the study of dissociation dynamics of polyatomic ions, 191
Secondary Ion Mass Spectrometry
Useful yields of MCs_x^+ clusters: a cesium concentration-dependent study on the Cation Mass Spectrometer (CMS), 135
Selectivity
Nanoelectrospray MS and MS–MS investigation of two polydendate Lewis acids, $(C_6F_4Hg)_3$ and o-$C_6F_4(HgCl)_2$, characterization and halide binding selectivity, 225
Semi-quantification
Molecular speciation of inorganic mixtures by Fourier transform laser microprobe mass spectrometry, 213
SIMS
High temperature Langmuir vaporization mass spectrometer, 1
S_N2 at neutral oxygen
Hybrid DFT study on the gas-phase S_N2 reactions at neutral oxygen, 167
SORI-CID FT-ICR
Experimental calibration of the SORI-CID internal energy scale: energy uptake and loss, 71
Strong laser fields
Multielectron dissociative ionization of CH_3I under strong picosecond laser irradiation, 249
Surface ionization
High temperature Langmuir vaporization mass spectrometer, 1

Tandem mass spectrometry
The isobaric ions $CH_3O–P=O^{\bullet+}$ and $CH_3O–P–NH_2^+$ and their neutral counterparts: a tandem mass spectrometry and CBS-QB3 computational study, 11
Time-of-flight
Time-of-flight (TOF) mass spectrometer without pulses of any kind, with continuous ion introduction, 101

Useful yield
Useful yields of MCs_x^+ clusters: a cesium concentration-dependent study on the Cation Mass Spectrometer (CMS), 135

Work function shifts
Useful yields of MCs_x^+ clusters: a cesium concentration-dependent study on the Cation Mass Spectrometer (CMS), 135